


BEST AVAILABLE COPY

Fig. 3

					Cap color		
		Minimum	Maximum	Average	standard dev.	n	Color indication
Broncoh	L	64.83	72.24	69.67	1.62	20	
	a	5.87	7.33	6.61	0.34	20	
	b	19.31	21.72	20.82	0.59	20	
C9	L	59.46	68.20	63.41	2.11	20	
	a	7.60	9.27	8.55	0.40	20	
	b	17.80	20.94	19.55	0.83	20	
U1	L	90.12	95.16	94.14	1.21	20	
	a	0.60	1.24	0.88	0.15	20	
	b	6.39	8.32	7.20	0.53	20	
		Minimum	Maximum	Average	standard dev.	n	Stipe color
Broncoh	L	84.10	89.45	86.93	1.67	20	
	a	0.06	1.72	0.96	0.48	20	
	b	7.31	10.49	8.84	0.98	20	
C9	L	82.87	90.56	87.58	1.73	20	
	a	0.09	1.83	0.57	0.54	20	
	b	7.74	15.78	9.37	1.78	20	
U1	L	83.09	90.23	86.66	2.62	20	
	a	0.48	1.99	1.06	0.42	20	
	b	6.44	10.75	7.91	1.10	20	

NOT AVAILABLE COPY

Mushroom Variety Named 'Broncoh'  
Inventor: Anton Sonnenberg  
Attorney Docket No.: 2475-040292



**BEST AVAILABLE COPY**

Fig. 5

{W0199705.1}5

Mushroom Variety Named 'Broncoh'  
Inventor: Anton Sonnenberg  
Attorney Docket No.: 2475-040292

Strain	L	a	b	Color indication
Broncoh	35.81	3.10	5.75	
C9	34.13	2.82	4.31	
U1	36.96	3.25	6.66	

REST AVAILABLE COPY

Fig. 6

{W0199705.1}6

Mushroom Variety Named 'Broncoh'  
Inventor: Anton Sonnenberg  
Attorney Docket No.: 2475-040292



Fig. 7

{W0199705.1}7

BEST AVAILABLE COPY

Strain	Duration of storage (hrs)	difference	Color indication	
			0	2
<b>Discoloration of lamellae</b>				
Bronc oh	0	65.53	4.49	
	2	16.99	-0.46	
C9	a	16.53	-1.73	
	b	13.50	-1.83	
U1	a	17.01	3.99	
	b	13.10	18.26	
U1	a	68.32	65.27	
	b	19.57	18.82	
Bronc oh	0	12.90	15.03	
	2	-2.13		
<b>Discoloration of flesh</b>				
Bronc oh	0	89.99	88.67	
	2	2.00	3.08	
C9	a	7.20	6.73	
	b	89.91	89.97	
U1	a	2.55	0.72	
	b	7.13	7.22	
U1	a	89.93	89.03	
	b	2.38	3.29	
U1	a	6.70	0.50	
	b			

BEST AVAILABLE COPY